



شماره تماس:

۰۹۱۰ ۳۳۰ ۴ ۹۹۰

- واردات و فروش انواع دستگاه تزریق پلاستیک
- فروش انواع مواد اولیه پلیمر وارداتی و داخلی
- فروش انواع گرانول، مستریج و کامپاندهای تخصصی



 Khuzestan Petrochemical Co.	<h1 style="color: red; margin: 0;">SAFETY DATA SHEET</h1>	Revised Edition No. : 2
		Date : 23/04/2016
		Supersedes : 23/04/2016

### Other Studies: **12) Ecological Information**

**Ecotoxicity:**

no data available, no information available.

**Environmental:**

no information found.

**Physical:**

no information found.

**Other:**

no information available.

### 13) Transport Information

**US DOT:**

not Hazard

**RID.ADR:**

not Hazard

Khuzestan Petrochemical Co.



partplast.com

شماره تماس:  
۰۹۱۰ ۳۳۰ ۴ ۹۹۰

- واردات و فروش انواع دستگاه تزریق پلاستیک
- فروش انواع مواد اولیه پلیمر وارداتی و داخلی
- فروش انواع گرانول، مستریج و کامپاندهای تخصصی



 Khuzestan Petrochemical Co.	<h1 style="color: red; margin: 0;">SAFETY DATA SHEET</h1>	Revised Edition No. : 2
		Date : 23/04/2016
		Supersedes : 23/04/2016

### 1) Identification of the Substance / Preparation & of the Company / Undertaking

Trade Name : Polycarbonate PC  
 Identification of the Product : Solid  
 Type of Product : Polycarbonate resin  
 Use : Industrial  
 Company Identification :

**Factory Address: Site 4, Pet Zone, Bandar Imam, Khuzestan, IRAN.**

**E-mail: info@kzpc.ir**

**Tel Info .Center Site: 06152170100-18**

**Fax No Site: 06152170090**

### 2) Composition / Information on Ingredients

Synonyms: Carbonic dichloride, polymer with 4.4' -(1-methylethylidene)bis (phenol)

CAS#	Chemical Name	%	EINECS#
24936-68-3	Poly[oxy-carbonyloxy-1,4-phenylene(1-methylethylidene)-1,4-phenylene]	100	-

### 3) Hazards Identification

**Appearance**

Cylindrical pelle, clear or opaque in several colors.

**Target Organs**

None.

**Potential Health Effects**

Eye:

Monomer vapors from heated product can cause irritation and tearing.

Skin:

No primary skin irritant known.

Khuzestan Petrochemical Co.



partplast.com

شماره تماس:

۰۹۱۰ ۳۳۰ ۴ ۹۹۰

- واردات و فروش انواع دستگاه تزریق پلاستیک
- فروش انواع مواد اولیه پلیمر وارداتی و داخلی
- فروش انواع گرانول، مستریج و کامپاندهای تخصصی



## SAFETY DATA SHEET

Revised Edition No. : 2

Date :  
23/04/2016Supersedes :  
23/04/2016**Ingestion:**

Very low oral toxicity.

**Inhalation:**

Inhalation of monomer vapor from heated product can cause coughing, labored breathing, irritation of nose, throat lungs.

**Chronic:**

Neither any chronic health hazards associated with exposure to polycarbonate, nor are there any medical conditions known to be generally aggravated by such exposure.

#### 4) First Aid Measures

**Eyes:**

Flush eyes with plenty of water for at least 15 minutes, Consult a physician if irritation persists.

**Skin:**

Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Consult a physician if irritation persists.

**Ingestion:**

Not ordinarily required.

**Inhalation:**

Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen and Consult a physician if irritation persists.

#### 5) Fire – Fighting Measures

**General Information:**

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Extinguishing Media:**

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

**Dust Cloud Ignition Temperature:** 710°C**Flash Point:** >400°C**Explosion Limits:**

Lower: Not available.

Khuzestan Petrochemical Co.



partplast.com

شماره تماس:

۰۹۱۰ ۳۳۰ ۴ ۹۹۰

- واردات و فروش انواع دستگاه تزریق پلاستیک
- فروش انواع مواد اولیه پلیمر وارداتی و داخلی
- فروش انواع گرانول، مستریج و کامپاندهای تخصصی

 Khuzestan Petrochemical Co.	<h1 style="color: red; margin: 0;">SAFETY DATA SHEET</h1>	Revised Edition No. : 2
		Date : 23/04/2016
		Supersedes : 23/04/2016

Upper: Not available.

**Security Rating:** (estimated) Health- 1; Flammability: -1; reactivity: -0(related to NFPA ID-System)

## 6) Accidental Release Measures

### General Information:

Use proper personal protective equipment as indicated below in Exposure Control, Personal Protection.

### Spills/Leaks:

Transfer spilled material to suitable containers for recovery or disposal.

## 7) Handling and Storage

### Handling:

Polycarbonate can release monomer vapors or gases when heated to high temperatures during processing, cutting or machining.

### Storage:

The maximum recommended storage temperature for Polycarbonate is 80°C. This material is not Hazardous under normal storage conditions. However, all material of this type release some monomer vapors or gases when stored for prolonged period at elevated temperature. Avoid temperature extremes during storage; ambient temperature preferred. Do not store flammable material together with Polycarbonate.

## 8) Exposure Controls / Personal Protection

### Engineering Controls:

Local exhaust ventilation a minimum capture velocity of 0.75m/sec. at the point of dust or mist evolution is recommended.

### Exposure Limits:

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Poly[oxycarbonyloxy-1,4-phenylene(1-methylethylidene)-1,4-phenylene]	not available	not available	not available



partplast.com

شماره تماس:

۰۹۱۰ ۳۳۰ ۴ ۹۹۰

- واردات و فروش انواع دستگاه تزریق پلاستیک
- فروش انواع مواد اولیه پلیمر وارداتی و داخلی
- فروش انواع گرانول، مستریج و کامپاندهای تخصصی



 Khuzestan Petrochemical Co.	<h1 style="color: red; margin: 0;">SAFETY DATA SHEET</h1>	Revised Edition No. : 2
		Date : 23/04/2016
		Supersedes : 23/04/2016

### Personal Protective Equipment:

#### Eyes:

Use safety glasses.

#### Skin:

Wear appropriate protective gloves made of cotton or canvas to prevent skin exposure.

#### Clothing:

Protective clothing should be worn during hood and ductwork clean-up operations to prevent skin contact.

#### Respirators:

No respiratory protection under normal operating conditions.

## 9) Physical and Chemical Properties

a) Physical State:	Solid@Standard Conditions
b) Appearance	Colorless; Clear to Opaque
c) Odor	Odorless
d) pH	-
e) boiling point	-
f) Evaporation rate	-
g) Vapour pressure	-
h) Vapour density	-
i) solubility	insoluble in water
j) Decomposition temperature	>420°C
k) Viscosity	no data available
l) Freezing/Melting Point	≅ 220°C
m) Bulk-Density	600-650kg/m <sup>3</sup>
n) Molecular Formula	(C <sub>16</sub> H <sub>14</sub> O <sub>3</sub> ) <sub>n</sub>
o) Molecular Weight	-
p) Specific Gravity/Density	1.2kg@20°C

Khuzestan Petrochemical Co.



partplast.com

شماره تماس:  
۰۹۱۰ ۳۳۰ ۴ ۹۹۰

- واردات و فروش انواع دستگاه تزریق پلاستیک
- فروش انواع مواد اولیه پلیمر وارداتی و داخلی
- فروش انواع گرانول، مستریج و کامپاندهای تخصصی



 Khuzestan Petrochemical Co.	<h1 style="color: red; margin: 0;">SAFETY DATA SHEET</h1>	Revised Edition No. : 2
		Date : 23/04/2016
		Supersedes : 23/04/2016

## 10) Stability and Reactivity

### Chemical Stability:

Is considered stable. however at temperature above 420°C Polycarbonate inclines to slow decomposition.

### Conditions to Avoid:

temperature above 420°C

### Incompatibilities with Other Materials:

There are no known material which are incompatible with polycarbonate.

### Hazardous Decomposition Products:

Thermal decomposition many produce Methane, Phenolics, Bisphenol A and diphenyl carbonate.

### Hazardous Polymerization:

Product will not undergo polymerization.

## 11) Toxicological Information

**RTECS#:CAS#** 24936-68-3: TR1580150

**LD50/LC50:**

Not available.

**Carcinogenicity:** CAS# 24936-68-3: Oral, rat: LD50 > 6000 mg/kg

**Eye:**

Rabbit: slight irritation

**Skin:**

Rabbit: slight irritation

**Epidemiology:**

No information available.

**Teratogenicity:**

No information available.

**Reproductive Effects:**

No information available.

**Mutagenicity:**

No information available.

**Neurotoxicity:**

No information available.

Khuzestan Petrochemical Co.